


# 1. Short 1

CoF gjennomføres på "Liggende langhold på Månen"




CoF	Comstock - Short	Points	50 p
Targets	4 paper, 2 popper, Total 6 targets	Min rounds	10
Firearm	Mini Rifle	Match-%	12.50%

Procedure	At start signal engage all targets from within the designated area.
Starting position	Anywhere within the designated area
Firearm ready condition	Option 1
Start on	Audible signal
Stop on	Last shot
Penalties	As per current edition of rules
Safety angles	L/R as pointed out by the RO
Setup notes	

## 2. Medium




CoF gjennomføres på "Liggende langhold på Månen"



CoF	Comstock - Medium	Points	100 p
Targets	9 paper, 2 plates, 1 no-shoot, Total 11 targets	Min rounds	20
Firearm	Mini Rifle	Match-%	25.00%

Procedure	Engage all targets from within the designated area. Plate P1 and P2 are autopoppers
Starting position	Anywhere within the designated area
Firearm ready condition	Option 1
Start on	Audible signal
Stop on	Last shot
Penalties	As per current edition of rules
Safety angles	L/R as pointed out by the RO
Setup notes	


### 3. Short 2



CoF	Comstock - Short	Points	50 p
Targets	3 paper, 3 popper, 1 plates, Total 7 targets	Min rounds	10
Firearm	Mini Rifle	Match-%	12.50%

Procedure	Engage all targets from within the designated area. Plate P1 is a autopopper. Popper P1 release target T12.
Starting position	Anywhere within the designated area
Firearm ready condition	Option 1
Start on	Audible signal
Stop on	Last shot
Penalties	As per current edition of rules
Safety angles	L/R as pointed out by the RO
Setup notes	

# 4. Long



CoF	Comstock - Long	Points	200 p
Targets	17 paper, 4 popper, 2 plates, 3 no-shoot, Total 23 targets	Min rounds	40
Firearm	Mini Rifle	Match-%	50.00%

Procedure	At start signal engage all targets from within the designated area. Popper P3 will release target T4 and Popper P6 will release target T12.
Starting position	Anywhere within the designated area
Firearm ready condition	Option 1
Start on	Audible signal
Stop on	Last shot
Penalties	As per current edition of rules
Safety angles	L/R as pointed out by the RO
Setup notes	