

CoF	Comstock - Long	Points	140 p
Targets	12 paper, 4 plates, Total 16 targets	Min rounds	28
Firearm	Mini Rifle	Match-%	29.79%
Procedure			
Starting position	Option 1		
Firearm ready			
condition Start on	Audible signal		
Stop on	Last shot		
Penalties	As per current edition of rules		
Safety angles	L/R		
Setup notes			



CoF	Comstock - Medium	Points	90 p
Targets	7 paper, 1 popper, 3 plates, Total 11 targets	Min rounds	18
Firearm	Mini Rifle	Match-%	19.15%
Procedure			
Starting position	Option 2		
Firearm ready condition			
Start on	Audible signal		
Stop on	Last shot		
Penalties	As per current edition of rules		
Safety angles	L/R		
Setup notes			



CoF	Comstock - Short	Points	50 p
Targets	4 paper, 2 plates, Total 6 targets	Min rounds	10
Firearm	Mini Rifle	Match-%	10.64%
Procedure			
Starting position	Option 1, One hand on mark		
Firearm ready condition			
Start on	Audible signal		
Stop on	Last shot		
Penalties	As per current edition of rules		
Safety angles	L/R		
Setup notes			



CoF	Comstock - Short	Points	50 p
Targets	4 paper, 2 popper, 1 no-shoot, Total 6 targets	Min rounds	10
Firearm	Mini Rifle	Match-%	10.64%
Procedure			
Starting position	Option 2. Tavlor synliga när No Shoot Plate Swinger är i viloläge		
Firearm ready			
condition Start on	Audible signal		
Stop on	Last shot		
Penalties	As per current edition of rules		
Safety angles	L=90/R=Marked pole		
Setup notes			



CoF	Comstock - Medium	Points	90 p
Targets	9 paper, 6 no-shoot, Total 9 targets	Min rounds	18
Firearm	Mini Rifle	Match-%	19.15%
Procedure			
Starting position	Option 1. One foot on mark		
Firearm ready condition			
Start on	Audible signal		
Stop on	Last shot		
Penalties	As per current edition of rules		
Safety angles	L/R		
Setup notes			



CoF	Comstock - Short	Points	50 p
Targets	4 paper, 2 popper, Total 6 targets	Min rounds	10
Firearm	Mini Rifle	Match-%	10.64%
Procedure			
Starting position	Option 2. Weapon laying on barrel		
Firearm ready condition			
Start on	Audible signal		
Stop on	Last shot		
Penalties	As per current edition of rules		
Safety angles	L=90/R= Marked pole		
Setup notes			