

1.

No Image

CoF	Comstock - Long	Points	140 p
Targets	12 paper, 4 plates, Total 16 targets	Min rounds	28
Firearm	Pistol Caliber Carbine	Match-%	29.79%

Procedure	
Starting position	option 2
Firearm ready condition	
Start on	Audible signal
Stop on	Last shot
Penalties	As per current edition of rules
Safety angles	L/R
Setup notes	

2.

No Image

CoF	Comstock - Medium	Points	90 p
Targets	7 paper, 1 popper, 3 plates, Total 11 targets	Min rounds	18
Firearm	Pistol Caliber Carbine	Match-%	19.15%

Procedure	
Starting position	Option 1
Firearm ready condition	
Start on	Audible signal
Stop on	Last shot
Penalties	As per current edition of rules
Safety angles	L/R
Setup notes	

3.

No Image

CoF	Comstock - Short	Points	50 p
Targets	4 paper, 2 plates, Total 6 targets	Min rounds	10
Firearm	Pistol Caliber Carbine	Match-%	10.64%

Procedure	
Starting position	Option 2. Hands on mark
Firearm ready condition	
Start on	Audible signal
Stop on	Last shot
Penalties	As per current edition of rules
Safety angles	L/R
Setup notes	

4.

No Image

CoF	Comstock - Short	Points	50 p
Targets	4 paper, 2 popper, Total 6 targets	Min rounds	10
Firearm	Pistol Caliber Carbine	Match-%	10.64%

Procedure	Tavlor synliga när No Shoot Plate Swinger är i viloläge
Starting position	Option 1
Firearm ready condition	
Start on	Audible signal
Stop on	Last shot
Penalties	As per current edition of rules
Safety angles	L = 90 / R = marked pole
Setup notes	

5.

No Image

CoF	Comstock - Medium	Points	90 p
Targets	9 paper, 6 no-shoot, Total 9 targets	Min rounds	18
Firearm	Pistol Caliber Carbine	Match-%	19.15%

Procedure	
Starting position	Option 2. One foot at mark
Firearm ready condition	
Start on	Audible signal
Stop on	Last shot
Penalties	As per current edition of rules
Safety angles	L/R
Setup notes	

6.

No Image

CoF	Comstock - Short	Points	50 p
Targets	4 paper, 2 popper, Total 6 targets	Min rounds	10
Firearm	Pistol Caliber Carbine	Match-%	10.64%

Procedure	
Starting position	Option 3
Firearm ready condition	
Start on	Audible signal
Stop on	Last shot
Penalties	As per current edition of rules
Safety angles	L=90/R= Marked pole
Setup notes	